



Customer ID: 200210-0

Certificate of Analysis

Company: Family Tree Hemp Co Sample ID: Indoor Sunshine 4

 Lot:
 CLTV0014-120-140
 Report Date:
 9/11/2023

 Matrix:
 Flower
 Date Analyzed:
 9/8/2023

Date Sampled: N/A

Analyst: 048

Grower License #: CLTV0014 Date Received: 9/5/2023 Report ID: C230905AA

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	2.999	0.300
Camphene	0.010	0.429	0.043
β-Myrcene	0.010	5.654	0.565
b-Pinene	0.010	3.292	0.329
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	7.411	0.741
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	6.205	0.621
Eucalyptol	0.010	0.045	0.005
Y-Terpinene	0.010	0.063	0.006
Terpinolene	0.010	0.323	0.032
Linalool	0.010	1.421	0.142
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	4.365	0.437
α-Humulene	0.010	1.837	0.184
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.021	0.002
α-Bisabolol	0.010	0.251	0.025
Total Terpenes		34.316	3.432

13.37%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

CLTVOI4 - 120 - 140

RESURVE INDICATORINANT INTERIO

C230905AA

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M